
MATERIAL TEST DATA

TRP COMPOUND REFERENCE N°: A151

Polymer Type: Natural Rubber

Description

A white Natural Rubber compound offering good physical properties and low temperature performance. Not suitable for oil or organic fluid applications. This compound is formulated



2

Σ

ш

ш

⋝


œ

ш

to meet the requirements of FDA 21 CFR 177.2600. Service Temperatures -50°C (-58°F) to +80°C (+176°F).

YPICAL PHYSICAL PROPERTIES

Property	Typical Values	Test Standard	
Colour	White		
Hardness (°IRHD)	43	ISO 48	
Tensile Strength (MPa)	19.0	ISO 37	
Modulus @ 100% (MPa)	1.4	ISO 37	
Elongation @ Break (%)	486	ISO 37	
Tear Strength (N/mm)	40.9	ISO 34	
Specific Gravity (g/cm³)	1.20	ISO 2781	



The properties given on this data sheet is derived from tests carried out by TRP Polymer Solutions Ltd. They should not be regarded as specifications, but only as typical properties of the material described. It is intended for use by persons having technical skills and understanding of the seal and gasket design. Since the conditions of use are outside our control, nor have we designed the product shape, we can make no warranties, express or implied and assume no liability in connection with any use of this information.

Data Sheet	Page	Issue Date	Issue No.	Issue By
MD10	1 of 1	13.10.06	1	CTD

